

AT 45-637

150MM BROWN LACE UP BOOT



by Honeywell

STYLE SPECIFICATIONS



DESCRIPTION:

All terrain water resistant pull up leather non-metallic boot

Colour: Brown

Sizes: 5 - 14, 6½ - 10½

Standards:

AS/NZS 2210.3:2009

EN ISO 20345:2011, ASTM F2413-11

REPLACEMENT LACE CODE: L-GB155

Application: Agriculture / Building & Construction / Manufacturing / Mining & Quarrying / Oil & Gas / Transport & Logistics / Storage & Warehousing



FEATURES:

- Water resistant pull up leather.
- COMFORTcushion® Impact Absorption System with PORON1 protects the heel and ball of your foot.
- Comfort foot bed with perforated air channels to enhance natural air flow, now infused with Odorban™ Control Technology2.
- NATUREform® wide profile hi-impact composite safety toe cap; fully non-metallic.
- Oliver SOFTstride® open cell low density urethane foam built in to the insole for ultimate comfort and contour support.
- AT's All Terrain dual density TPU/PU sole, heat resistant to 130 °C surface contact.
- Electrical Hazard (EH) resistant sole.
- Superior slip resistant sole, rated SRB.
- Sole resistant to mineral and organic oils & acids.
- Superior abrasion, split and crack resistant sole.

COMFORT TECHNOLOGY



COMFORTcushion
Impact
Absorption



NATUREform
wide profile Type
1 safety toe cap



Water Resistant
Leather



Non-Metallic
Composite
Toecap



SOFTstride
Contour Comfort
Support



Antimicrobial
Technology

SOLING TECHNOLOGY



130°C
Heat Resistant
sole (266° F)



Abrasion
Resistant sole



Cut Resistant
sole



Slip Resistant
sole



Sole resistant to
mineral oils
and acids



Sole resistant to
organic oils
and fats



Electrical Hazard
Resistant

OLIVER FOOTWEAR

Prest Street Ballarat
Victoria 3350 Australia

Tel: 1300 1 BOOTS (26687)
Fax: (03) 53 200 299

Email: info@oliver.com.au
www.oliver.com.au



[Facebook.com/oliversafetyfootwear](https://www.facebook.com/oliversafetyfootwear)



[@oliverfootwear](https://www.instagram.com/oliverfootwear)

Honeywell